



Questionnaire of student satisfaction with lecture rooms, laboratories and the <u>library</u>

Lecture rooms

No	To some extent	Yes	Indicator	
			The total capacity of the lecture rooms are adequate and equivalent to the student's numbers	1
			There are enough windows in each lecture room	2
			Lectures' room temperature is comfortable	3
			lecture rooms ventilation is good	4
			lectures rooms have adequate lightening	5
			There is a seat for each student in each lecture room	6
			A seat and a desk are available for the instructor in each lecture room	7
			There is a white board in each lecture room	8
			Each lecture room has a suitable Educational Audiovisual Aids	9
			Lecture rooms have internet and Wi-Fi services	10
			There is continuous electricity supply (electricity generator)	11
			There are specialised spaces within the lecture rooms that permit disabled and handicapped to move comfortably and see clearly	12
			There are designated spaces for disabled and handicapped within the corridors, classes, opened-area, services and emergency exits	13
			There are fire extinguisher preparations near the classrooms	14





Laboratories

No	To some extent	Yes	Indicators	
			The total capacity of the laboratories is adequate and equivalent to the student's numbers	1
			There are designated spaces for each student within the laboratory	2
			All equipment and laboratory reagents are available to run all the laboratory tests and experiments mentioned in the curricula and syllabi	3
			The number of computers is proportional to the number of students	4
			The sewage and drainage system of the laboratories is efficient (if relevant)	5
			There is adequate aeration, ventilation and lightening in the laboratories	6
			There are enough and adequate sinks	7
			The equipment and apparatuses are specialised, adequate and up to date	9
			Internet connection is available in the laboratory	10
			There is adequate teaching staff and supporting staff for each laboratory	11
			There are adequate safety measures	12





The library

No	To some extent	Yes	Indicators	
			the library capacity is proportional to	1
			students	
			there are enough desks and chairs for all attendees	2
			there are shelve cabinet for the books, periodical journals, thesis and dissertations	3
			There are Cataloging screen	4
			There are adequate photocopiers	5
			There is an adequate number of references for each speciality	6
			There is an adequate number of specialised scientific periodical journals	7
			The library has the adequate references and textbooks that permit and facilitate conduction of research by postgraduate students	8
			The arrangement of references and periodical journals are according to an efficient cataloguing system	9
			There are internet and Wi-Fi services in the library	10
			There is electronic cataloguing system	11
			There is an external library borrowing service	12
			The library has internal borrowing service	13
			The library has visitor's record.	14
			The closing and opening time is suitable	15
		l	Visually impaired	persons
			There are adequate books writing according to Braille & writing system or John	16
			There are adequate books written in big letters and dark ink	17





:Persons with hearing impairment			
There are adequate visual aids that use images, photos, themes and videos or a visual programme using the sign language	18		
Students with motor disa	ability:		
There is special furniture.	19		
There are special facilities	20		
there are elevators for the handicapped to help them to move between the different sections of the library	21		